



Proveca

Medicines for Children

Sialanar[®]

ORAL ADMINISTRATION GUIDE FOR CARERS

This leaflet has been given to you by your child's doctor because Sialanar[®] has been prescribed for your child



1



Always wash hands before giving medication

2



Check the dose & read the patient leaflet supplied with the pack

3



Unscrew child resistant cap




FIRST TIME USE
Put the syringe adaptor with the hole in the neck of the bottle, this can then be left in for future use

ALWAYS use the oral dosing syringe provided in the pack to give the correct dose




Do not use a cup or a spoon




4

Push syringe into syringe adaptor



5

Turn bottle upside down & draw down on the plunger to the prescribed dose




6

Turn bottle upright & remove syringe from the bottle



7

Place the syringe into the side of the patient's mouth & slowly press down plunger so medicine enters the mouth.



DO NOT PUT THE SYRINGE ON THE TIP OF THE TONGUE AS THE MEDICINE MAY FLOW OUT OF THE MOUTH



8

Close the patient's mouth to make sure they have swallowed the medicine



9

ALWAYS wash the syringe & plunger after use & leave to dry. Do not put in dishwasher. Replace cap on bottle.

IMPORTANT INFORMATION ON THE ADMINISTRATION OF SIALANAR

Always give Sialanar® exactly as the doctor has told you. You should not increase the dose without the doctor's permission. Check with your doctor if you are not sure.

Further information about taking Sialanar® can be found in the Patient Information Leaflet and can be obtained from your child's doctor.

How to store Sialanar®

Do not use Sialanar® after the expiry date stated on the label after EXP: The expiry date refers to the last day of that month.

Do not store above 25° C.

This medicine must be used within 2 months of first opening the bottle.

Sialanar® should not be used if the packaging has been opened or damaged.

Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment.

Reporting of side effects

If your child gets any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in the package leaflet. You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard

By reporting side effects you can help provide more information on the safety of this medicine.

Side effects should also be reported to Proveca Limited.

Phone: (+44) 0333 200 1866

E-mail: medinfo@proveca.com